

piece 1, NC_000913, fixX_yaaU-, config: linear, direction: -, begin: 45836, end: 45731


* 45830 * 45820 * 45810 * 45800 * 45790 * 45780 * 45770 * 45760

5' g a g a t c g t c a a a g t t t c t g g a c g g t t g c a t g g t t a t t c c t g t t t t t t g c a a t g a g a g t c a g t g c g g c g t t a c g t a t c a a a c 3'

- glu - ile - val - lys - val - ser - gly - arg - leu - his - gly - tyr - ser - cys - phe - leu - gln - - -fMet - arg - arg - tyr - val - ser - asn -

- arg - ser - ser - lys - phe - leu - asp - gly - cys - met - val - ile - pro - val - phe - cys - asn - glu - ser - gln - cys - gly - val - thr - tyr - gln - thr -

- asp - arg - gln - ser - phe - trp - thr - val - ala - trp - leu - phe - leu - phe - phe - ala - met - arg - val - ser - ala - ala - leu - arg - ile - lys - pro -



{-----} sd-(9)-ir 45808 Gap 2.3 bits

{-----} sd-ir 45808 fixX_yaaU- total 6.6 bits

* 45750 * 45740 *

5' c a a c a t c a g c c g t a a c g g a a c t c c a 3'

- gln - his - gln - pro - - -

- asn - ile - ser - arg - asn - gly - thr - pro -

- thr - ser - ala - val - thr - glu - leu -

<----- ... NC_000913.fixX